


Wedge100BF-32X/65X Switch

100GbE Data Center Switch

Bare-Metal Hardware



Product Overview

The Edgecore Wedge100BF-32X/65X switch is a Top-of-Rack (TOR) or spine switch for high-performance data centers. In a 2RU form factor, the switch provides line-rate L2 and L3 switching across the 65 x QSFP28 ports, supporting up to 32/65 x 25/40/50/100 GbE connections. The Wedge100BF-32X/65X can be deployed as a TOR switch supporting 25/50 GbE to servers with 40/50/100 GbE uplinks, or as a spine switch supporting 40/50/100 GbE spine interconnects. This open network switch is loaded with the Open Network Install Environment (ONIE), which supports the installation of compatible Network Operating System software.

Key Features and Benefits

- Cost-effective, bare-metal switch infrastructure for data center fabric.
- Designed with programmable Tofino switch silicon from Barefoot Networks.
- Deploys as Top-of-Rack or Spine switch supporting 25 GbE to servers, with 40 or 50 or 100 GbE uplinks.
- Deploys as spine switch supporting 40, 50, or 100 GbE ToR and spine interconnects.
- 32/65 x QSFP28 switch ports, each supporting 1 x 100 GbE or 1 x 50 GbE or 1 x 40 GbE, or via breakout cables, 4 x 25 GbE or 4 x 10 GbE.
- Layer 2 or Layer 3 forwarding of 3.2/6.4 Tbps (full duplex).
- Supports hot/cold aisle with port-to-power airflow SKU.
- All ports on front; PSUs and fans accessible from rear.
- Hot-swappable, load-sharing, redundant AC or 48V DC PSUs.
- 5/10 redundant, hot-swappable fan modules.
- Switch pre-loaded with diagnostics and with Open Network Install Environment (ONIE) for automated loading of compatible open source and commercial NOS offerings.
- Compatible with SONiC open source network software.

Data Center Switch



Features

Ports

- Switch Ports:
 - 32/65 x QSFP28 ports. Each Port supports 1x25/40/50/100 GbE or 4 x 10/25 GbE per port using splitter cables
- Management ports on port side:
 - 1 x RJ-45 serial console
 - 1 x RJ-45 1G BASE-T management
 - 1 x USB Type A storage

Key Components

- Switch Silicon : Barefoot Tofino
 - No PHYs, No Retimers
- CPU Modules:
 - Intel x86 Broadwell-DE, Pentium D-1517
 - 4/8/16 GB SO-DIMM DDR4 RAM
 - 16 MB SPI Flash
 - 8 GB NAND Flash
 - 32 GB M.2 SSD

Performance

- Switching Capacity: 3.2/6.4 Tbps
- Forwarding Rate: 4.7/9.5 Bpps
- Jumbo frames support up to 9216 Bytes
- Packet Buffer Size: 22 MB integrated packet buffer

Physical and Environmental

- Dimensions (WxDxH):
 - 32X: 509 x 440 x 44 mm (20.03 x 17.32 x 1.73)
 - 65X: 509 x 440 x 87 mm (20.03 x 17.32 x 3.42)
- Weight
 - 32X: 10.005kg (20.05 lb)
 - 65X: 14.275kg (31.47 lb)
- Fans: hot-swappable 5/10 redundant fans
- Operating Temperature: 0°C to 40°C (32°F to 104°F)
- Storage Temperature: -40°C to 70°C (-40°F to 158°F)
- Operating Humidity: 0% to 95% non-condensing
- Operating Altitude: 0 to 10,000 feet

Software

- Switch is loaded with Open Network Install Environment (ONIE) software installer
- Compatible with ONL and SONiC software

LEDs

- QSFP 28 Port LEDs: Link Status, Activity, Rate
- Ethernet Management Port LED: Link Status, Activity
- Console Port LED: Link Status
- System LEDs: Diagnostic, Locator, PSU and Fan Status

Power

- PSUs: 2 redundant, load-sharing, hot-swappable AC
- Input Voltage: 90 to 240 VAC at 50-60 Hz

Regulatory

- EMI
 - CE Mark
 - EN55022 Class A
 - EN55024
 - EN61000-3-2
 - EN61000-3-3
 - EN61000-3-11
 - EN61000-3-12
 - FCC Part 15 Subpart B Class A
- Safety
 - UL
 - CSA
- Environmental:
 - Temperature: IEC 68-2-14
 - Vibration: IEC 68-2-36, IEC 68-2-6
 - Shock: IEC 68-2-29
 - Drop: ISTA 2A
 - Acoustic Level: 62 dB@ 27°C
- RoHS-6 Compliant

Warranty

- Please check www.edge-core.com for the warranty terms your country.

For More Information

- To find out more about Edgecore Networks Corporation product and solutions, visit www.edge-core.com.

About Edgecore Networks Corporation

Edgecore Networks Corporation is in the business of providing innovative network solutions. In the service provider network, in the data center or in the cloud, Edgecore Networks Corporation delivers the software and systems that transform the way the world connects. Edgecore Networks Corporation serves customers and partners worldwide. Additional information can be found at www.edge-core.com.

Edgecore Networks Corporation is a subsidiary of Accton Technology Corporation, the leading network ODM company. The Edgecore data center switches are developed and manufactured by Accton.

To purchase Edgecore Networks solutions, please contact your Edgecore Networks Corporation representatives at +886-3-563-8888 (HQ) or +1 (949)-336-6801 or authorized resellers.

© Copyright 2018 Edgecore Networks Corporation. The information contained herein is subject to change without notice. This document is for informational purposes only and does not set forth any warranty, expressed or implied, concerning any equipment, equipment feature, or service offered by Edgecore Networks Corporation. Edgecore Networks Corporation shall not be liable for technical or editorial errors or omissions contained herein.

Wedge100BF-32X/65X Product Specifications

www.edge-core.com

Features

Base Model: Wedge100BF-32X; 32-Port 100G QSFP28; ONIE software installer

Model Number	P/N	Airflow	Description	UPC/EAN	Region
Wedge100BF-32X-O-AC-F-US	FP3ZZ7632413A	port-to-power airflow	Wedge100BF-32X , 32 port 100G QSFP28 switch, BAREFOOT Tofino 3.3T, Intel Broadwell DE CPU, dual AC PSU	662698609011	N. America
Wedge100BF-32X-O-AC-F-EU	FP3ZZ7632207A	port-to-power airflow	Wedge100BF-32X , 32 port 100G QSFP28 switch, BAREFOOT Tofino 3.3T, Intel Broadwell DE CPU, dual AC PSU	4712687015531	Europe
Wedge100BF-32X-O-AC-F-UK	FP3ZZ7632307A	port-to-power airflow	Wedge100BF-32X , 32 port 100G QSFP28 switch, BAREFOOT Tofino 3.3T, Intel Broadwell DE CPU, dual AC PSU	4712687015548	UK
Wedge100BF-32X-O-AC-F-JP	FP3ZZ7632507A	port-to-power airflow	Wedge100BF-32X , 32 port 100G QSFP28 switch, BAREFOOT Tofino 3.3T, Intel Broadwell DE CPU, dual AC PSU	4712687015555	Japan
Wedge100BF-32X-O-AC-F-CH	FP3ZZ7632704A	port-to-power airflow	Wedge100BF-32X , 32 port 100G QSFP28 switch, BAREFOOT Tofino 3.3T, Intel Broadwell DE CPU, dual AC PSU	4712687018389	China

Base Model: Wedge100BF-65X; 65-Port 100G QSFP28; ONIE software installer

Model Number	P/N	Airflow	Description	UPC/EAN	Region
Wedge100BF-65X-O-AC-F-US	FP3ZZ7664400A	port-to-power airflow	Wedge100BF-65X, 65 port 100G QSFP28 switch, BAREFOOT Tofino 6.5T, Intel Broadwell DE CPU, dual AC PSU	662698609028	N. America
Wedge100BF-65X-O-AC-F-EU	FP3ZZ7664200A	port-to-power airflow	Wedge100BF-65X, 65 port 100G QSFP28 switch, BAREFOOT Tofino 6.5T, Intel Broadwell DE CPU, dual AC PSU	4712687015494	Europe
Wedge100BF-65X-O-AC-F-UK	FP3ZZ7664300A	port-to-power airflow	Wedge100BF-65X, 65 port 100G QSFP28 switch, BAREFOOT Tofino 6.5T, Intel Broadwell DE CPU, dual AC PSU	4712687015500	UK
Wedge100BF-65X-O-AC-F-JP	FP3ZZ7664500A	port-to-power airflow	Wedge100BF-65X, 65 port 100G QSFP28 switch, BAREFOOT Tofino 6.5T, Intel Broadwell DE CPU, dual AC PSU	4712687015517	Japan
Wedge100BF-65X-O-AC-F-CH	FP3ZZ7664700A	port-to-power airflow	Wedge100BF-65X, 65 port 100G QSFP28 switch, BAREFOOT Tofino 6.5T, Intel Broadwell DE CPU, dual AC PSU	4712687018396	China